

#### Digital Hand-held "Pocket" Refractometer

# PAL-Urea







The proven choice in Europe for fast, accurate measurements of Diesel Exhaust Fluid.

PAL-Urea quickly and accurately measures the urea concentration in emissions-reducing diesel exhaust fluid additives.

### **Features**

- Simple calibration with tap water
- Convenient storage case
- Measurement in 3 seconds Light & Compact, 100g
- Equipped with a strap holder option
- Extremely water resistant (IP65)
- External Light Interference (ELI)
- Automatic Temperature Compensation (ATC)
- Ergonomically designed for simple one-handed operation

## **Specifications**

Measurement range : Urea 0.0 to 55.0% (w/w)

Resolution : Urea 0.1% Measurement accuracy : Urea ±0.3% Measurement temperature : 10 to 40°C (ATC)

Sample volume : 0.3ml Measurement time : 3 seconds

Power supply : AAA alkaline battery × 2

Battery life : Approx. 11,000 measurements

(Using new alkaline batteries)

International Protection Class : IP65 Water resistant


:  $55(W) \times 31(D) \times 109(H)$ mm, 100gDimensions and weight



Actual size

#### Measurement Method

1. Place the sample onto the prism surface.







3. The measurement value will be displayed in 3 seconds.





ATAGO products comply with HACCP,GMP, and GLP system standards.

All ATAGO refractometers are designed and manufactured in Japan.



http://www.atago.net/ overseas@atago.net

Headquarters: The Front Tower Shiba Koen, 23rd Floor 2-6-3 Shiba-koen, Minato-ku, Tokyo 105-0011, Japan

TEL: 81-3-3431-1943 FAX: 81-3-3431-1945

ATAGO U.S.A., Inc. ATAGO INDIA Instruments Pvt. Ltd.

ATAGO (THAILAND) Co., Ltd. ATAGO BRASIL Ltda.

ATAGO ITALIA s.r.l. ATAGO CHINA Guangzhou Co., Ltd. TEL: 86 20-38106065

TEL: 1-425-637-2107

TEL: 662-982-8718-9 TEL: 55 16 3916-6000 TEL: 39 2 36557267

customerservice@atago-usa.com TEL: 91-22-2833-8038 / 8076 customerservice@atago-india.com customerservice@atago-thailand.com

customerservice@atago-brasil.com customerservice@atago-italia.com info@atago-china.com



<sup>\*</sup> Specifications and appearance are subject to change without notice.